

# FULL SUSPENSION

A suspension-travel range from racing-proved 100 mm up to mighty 180 mm plus all three wheelset sizes (26", 27.5" and 29"): The MERIDA full-suspension bikes of MY 2014 cover an even larger field of riding fun and are a recommendation for all those who want to trust in premium chassis technology on challenging terrain. MERIDA – MORE SUSPENSION.





# BIG NINETY-NINE

XC RACE / MARATHON

Refining an already excellent concept is definitely not easy. However, the R&D experts at MERIDA master this task again and again – as proven by the 2014 upgrade of our highly successful BIG NINETY-NINE: This 100 mm fully rocket is even lighter now. At the same time, it combines all the Twentyniner benefits with all the full-suspension characteristics essential for MTB riders particularly on challenging terrain.

In its premiere season as a carbon-aluminium hybrid model, the BIG NINETY-NINE has already thrilled lovers of fast tours. Now, especially racers on challenging courses will listen attentively: As the favoured working tool of our young MULTIVAN MERIDA BIKING TEAM riders Thomas Litscher and Ondrej Cink, the new full-carbon version of the BIG NINETY-NINE convinces with impressive performance data: The frame weight of 1.9 kg\* enables high-end setups ranging far below 10 kg in total – outstanding preconditions for fast XC or marathon laps! Thanks to the precise 68 Nm/° of its conical "X-Taper" steerer (increasing from 1 1/8" at the top to 1.5" at the bottom), the BIG NINETY-NINE offers superb handling control. The propulsion-effective BB stiffness of 75 N/mm is provided by the broad connection of down tube and bottom bracket. A 12 mm thru-axle at the rear ensures quick and precise wheel changing. The true racing character of our new BIG NINETY-NINE is also underlined by the kinematically sophisticated and completely lockable "M.O.R.E." chassis for best possible response characteristics in all frame sizes. *Most demanding race tracks, fastest laps: the MERIDA BIG.NINETY-NINE.*



## BIG NINETY-NINE CF TEAM

**FRAME:** Big Ninety-Nine SL R12 **SIZES:** 15.5-17-19-21-23" **COLOR:** UD Carbon/white/green **FORK:** Rock Shox SID XCS 29 QR SA 100 BLK T L36 **HEADSET:** Big Conoid A-bearing **SHOCK:** Rock Shox Monarch XX X-lock MMX right **CHAINWHEEL:** SRAM XD 38-24 GXP **BB-SET:** attached **DERAILLEUR FRONT:** SRAM XX HD double **DERAILLEUR REAR:** SRAM XX long **SHIFTERS:** SRAM XX **BRAKES:** AWD XX 180/160 mm Disc **BRAKE LEVERS:** attached **RIMS:** Fulcrum Red Metal 29 XL FOR-R12 **HUBS:** attached / RWS 12-142 axle **SPOKES:** attached **TIRES:** Maxxis Aspen 29er ExCapitan 2.1 **FREEWHEEL:** SRAM XX 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** PRC Team Flatbar 680 **STEM:** PRC Team 05 -17" **SADDLE:** ProLogo Nage Evo X10 T10x **SEATPOST:** PRC Double Carbon SuperLite 31.6 mm **PEDALS:** no

\*w/o shock



**BIG.NINETY-NINE CF 3000**



**FRAME:** Big.Ninety-Nine SL R12 **SIZES:** 15.5-17-19-21-23" **COLOR:** stik UD Carbon(white/red) **FORK:** Fox 32 Float 29 CTD Remote-Ready OVC (1.5T, 15QR) - Evo 120 **HEADSET:** Big Conoid A-bearing **SHOCK:** Fox Float CTD Remote BV SV - Factory **CHAINWHEEL:** Shimano Deore XT 38-24 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano Deore XT HD double **DERAILLEUR REAR:** Shimano Deore XT Shadow+ **SHIFTERS:** Shimano Deore XT spec **BRAKES:** Shimano Deore XT-FH 180 mm Ice Disc **BRAKE LEVERS:** attached **RIMS:** Fulcrum Red Power 29 XL F15-R12 **HUBS:** attached / RWS 12-142 axle **SPOKES:** attached **TIRES:** Schwalbe Racing Ralph Evo 29 2.25 fold **FREEWHEEL:** Shimano CS-HG-10 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** PRC Team Flatbar 680 **STEM:** PRC Team OS -17" **SADDLE:** ProLogo Nago Evo X10 T2.0 **SEATPOST:** PRC Double Carbon SuperLite 31.6 mm **PEDALS:** no



**BIG.NINETY-NINE CF X0-EDITION**



**FRAME:** Big.Ninety-Nine Pro R12 **SIZES:** 15.5-17-19-21-23" **COLOR:** UD Carbon(white/green) **FORK:** Rock Shox Reba RL 29 QR SA 120 laper Pushlock- MMX **HEADSET:** Big Conoid A-bearing **SHOCK:** Rock Shox Monarch XX X-Lock MMX right **CHAINWHEEL:** SRAM S2210 Carbon 38-24 GXP **BB-SET:** attached **DERAILLEUR FRONT:** Sram XO HD double **DERAILLEUR REAR:** Sram XO long T2 **SHIFTERS:** Sram XO Trigger **BRAKES:** Avid Blaxy 5 MM 180 mm Disc **BRAKELEVERS:** attached **RIMS:** Fulcrum Red Power 29 XL FOR-R12 **HUBS:** attached / 12 mm thru axle **SPOKES:** attached **TIRES:** Maxxis Aspen 29er Exception 2.1 **FREEWHEEL:** Shimano CS-HG-10 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** PSA Afturburner Flat 680 **STEM:** Merida Pro K OS -16"AD **SADDLE:** Selle Italia X1 **SEATPOST:** Merida Carbon H S80 31.6 mm **PEDALS:** Shimano M520



**BIG.NINETY-NINE CF XT-EDITION**




**FRAME:** Big.Ninety-Nine Pro R12 **SIZES:** 15.5-17-19-21-23" **COLOR:** stik UD Carbon(white/blue) **FORK:** Fox 32 Float 29 CTD Remote-Ready OVC \*\*1.5T) - Evo 120 **HEADSET:** Big Conoid A-bearing **SHOCK:** Fox Float CTD Remote BV SV - Factory **CHAINWHEEL:** Shimano Deore XT 40-30-22 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano Deore XT HD triple **DERAILLEUR REAR:** Shimano Deore XT Shadow+ **SHIFTERS:** Shimano Deore XT spec **BRAKES:** Shimano M595 180 mm Con **BRAKELEVERS:** attached **RIMS:** Merida Big.Nine Pro D **HUBS:** Shimano Deore Con / -12 Con **SPOKES:** black stainless **TIRES:** Schwalbe Racing Ralph 29 Perf. 2.25 fold **FREEWHEEL:** Shimano CS-HG-10 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** Merida Pro OS 680 Flat **STEM:** Merida Pro Carbon -5" **SADDLE:** Selle Italia X1 **SEATPOST:** Merida Carbon H S80 31.6 mm **PEDALS:** XCAloy



**BIG.NINETY-NINE 1500**



**FRAME:** Big.Ninety-Nine Comp-Single R12 **SIZES:** 15.5-17-19-21-23" **COLOR:** white(black/red) **FORK:** Fox 32 Float 29 CTD Remote-Ready OVC \*\*1.5T) - Evo 120 **HEADSET:** Big Conoid A-bearing **SHOCK:** Fox Float CTD SV BV - Perf. **CHAINWHEEL:** Shimano SLX 38-24 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano SLX HD double **DERAILLEUR REAR:** Shimano SLX Shadow+ **SHIFTERS:** Shimano SLX spec **BRAKES:** Shimano SLX 180 mm Ice Con **BRAKE LEVERS:** attached **RIMS:** Mavic EN321-29 **HUBS:** Shimano SLX / Deore -12 Con **SPOKES:** black stainless **TIRES:** Continental X-King 2.2 fold **FREEWHEEL:** Sram PG1070 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** Merida Pro OS 680 Flat **STEM:** Merida Pro K OS -16"AD **SADDLE:** ProLogo Kappa Evo **SEATPOST:** Merida Pro H S80 31.6 mm **PEDALS:** Shimano M520



„The application range of our Twentyniner fully has again been extended for 2014: As full-carbon model version, the BIG.NINETY-NINE is ultra-light now and thus optimally suitable for successful marathon or XC racing. Thanks to “M.O.R.E. Suspension”, the chassis performs equally sensitive in all frame sizes.“

JÜRGEN FALKE, Director of Products MERIDA



**BIG.NINETY-NINE 1000**



**FRAME:** Big.Ninety-Nine Comp-Single R12 **SIZES:** 15.5-17-19-21-23" **COLOR:** silk black/grey/yellow **FORK:** Manitou Marvel Comp 29 TS Air 120 taper **HEADSET:** Big Conoid A-bearing **SHOCK:** Fox Float CTD SV BV - Perf. **CHAINWHEEL:** Shimano M522 40-30-22 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano SLX HD triple **DERAILLEUR REAR:** Shimano Deore XT Shadow+ **SHIFTERS:** Shimano SLX 12pc **BRAKES:** Shimano M615 180 mm Disc **BRAKE LEVERS:** attached **RIMS:** Mavic CrossRide Disc 29 FOR-R12 **HUBS:** attached / 12 mm Thru axle **SPOKES:** attached **TIRES:** Maxxis CrossMark 29er 2.1 fold **FREEWHEEL:** Sram PG107D 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** Merida Pro OS 680 Flat **STEM:** Merida Pro K OS -16°AD **SADDLE:** ProLogo Kappa Evo **SEATPOST:** Merida Pro H SBO 31.6 mm **PEDALS:** XC Alloy



**BIG.NINETY-NINE 900**



**FRAME:** Big.Ninety-Nine Comp-Single R12 **SIZES:** 15.5-17-19-21-23" **COLOR:** white/black/grey **FORK:** RST First 29 Air-32 120 Remote taper **HEADSET:** Big Conoid Semi **SHOCK:** Fox Float CTD SV (No BV) - Evo **CHAINWHEEL:** Shimano M512 40-30-22 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano Deore HD triple **DERAILLEUR REAR:** Shimano Deore XT Shadow+ **SHIFTERS:** Shimano Deore **BRAKES:** Shimano M505 180 mm Con **BRAKE LEVERS:** attached **RIMS:** Merida Big.Nine Pro D **HUBS:** Shimano Deore 7 -12 Con **SPOKES:** black stainless **TIRES:** Maxxis CrossMark 29er 2.1 fold **FREEWHEEL:** Sram PG107D 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** Merida Pro OS 680 Flat **STEM:** Merida Pro OS -5° **SADDLE:** Merida Pro SI **SEATPOST:** Merida Pro H SBO 31.6 mm **PEDALS:** XC Alloy

# ONE-TWENTY

MARATHON / TOUR

No matter if general trends occasionally offer more than the classic 120 mm travel at front and rear to tour bikers: MERIDA consistently trusts in well-proven chassis systems which manage the balancing act between highest possible sensitivity and maximum travel utilization on the one hand and convincing drivetrain-neutrality on the other without any problems.

Right at very first sight, the ONE-TWENTY's organic design language radiates full readiness for great rides through pristine nature. But not only the visual appearance is brilliantly adapted to the routes you are going to tackle: The ONE-TWENTY fuses with the trail surface also in terms of construction. The main frame triangle as well as the rear stay consist of multi-buttet and hydroformed "Prolite 66" aluminium. With the supported single-pivot concept, the MERIDA R&D specialists have successfully developed a chassis which feels "bigger" but can be pedalled as comfortably as versions with less suspension travel. No annoying pedal recoil, no excessive bobbing tendencies, neutral braking performance: Our ONE-TWENTY equally convinces uphill, downhill and on flat terrain. Thanks to the "X-Taper" headtube (increasing from 1 1/8" to 1.5"), this MERIDA MTB tourer guides its 120 mm fork safely through off-road territory. In addition, the bike offers superb tracking precision and can be slowed down with maximum safety. Furthermore, the rear stay dropouts enable the direct mounting of post-mount callipers which accept brake discs up to 160 mm without any adaptor. So what's still missing? A low weight suitable for touring? Here you are: The ONE-TWENTY's aluminium frame puts a maximum of 2.500 g on the scales. *Wherever your tour may take you: MERIDA ONE-TWENTY*



## ONE-TWENTY 3000

**FRAME:** One-Twenty Pro-D-Single BC A-Link **SIZES:** 16-18-20-22" **COLOR:** silk black(grey/yellow) **FORK:** Fox 32 Float 26 Remoto-ready CTD DVC -Evo 120 15 mm taper **HEADSET:** Big Conoid A-bearing Neck **SHOCK:** Fox Float CTD Remoto BV SV - Factory **CHAINWHEEL:** Shimano Deore XT 42-32-24 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano Deore XT H35 triple **DERAILLEUR REAR:** Shimano Deore XT Shadow+ **SHIFTERS:** Shimano Deore XT 10pc **BRAKES:** Shimano Deore XT-RH 160 mm Ice Disc **BRACE LEVERS:** attached **RIMS:** Fulcrum Rod Power 27 XL R15 **HUBS:** attached **SPOKES:** attached **TIRES:** Schwalbe Racing Ralph 2.25 Evo fold **FREEWHEEL:** Shimano CS-HGB10 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** FSA Alltubum 05 685 R15 **STEM:** FSA SLK 6" **SADDLE:** Prologo Nago Evo X10 T2.0 **SEATPOST:** FSA SLK 580 31.6 mm **PEDALS:** no



**ONE-TWENTY XT-EDITION**



**FRAME:** One-Twenty Pro-D Single BC A-Link **SIZES:** 16-18-20-22" **COLOR:** silk black(grey/white) **FORK:** Fox 32 Float 25 Remote-ready CTD CVC - Evo 120 taper **HEADSET:** Big Conoid A-bearing Neck **SHOCK:** Fox Float CTD SV (No BV) - Evo **CHAINWHEEL:** Shimano Deore XT 42-32-24 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano Deore XT H35 triple **DERAILLEUR REAR:** Shimano Deore XT Shadow+ **SHIFTERS:** Shimano Deore XT spec **BRAKES:** Shimano M615 180 mm Can **BRAKE LEVERS:** attached **RIMS:** Mavic EN321-26 **HUBS:** Shimano M435 Can **SPOKES:** black stainless **TIRES:** Schwalbe Racing Ralph 2.25 Perf. fold **FREEWHEEL:** Shimano CS-HG-10 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** Merida Pro OS 680 R12 **STEM:** Merida Pro Carbon 5" **SADDLE:** Selle Italia X1 **SEATPOST:** Merida Pro H SBO 31.6 mm **PEDALS:** XC Alloy



**ONE-TWENTY 1000**



**FRAME:** One-Twenty Pro-D Single BC A-Link **SIZES:** 16-18-20-22" **COLOR:** silk black(red/white) **FORK:** Manitou Marvel Comp TS Air 120 **HEADSET:** Big Conoid S-bearing Neck **SHOCK:** Fox Float CTD SV (No BV) - Evo **CHAINWHEEL:** Shimano M552 42-32-24 **BB-SET:** Shimano Octalink **DERAILLEUR FRONT:** Shimano SLX H35 triple **DERAILLEUR REAR:** Shimano Deore XT Shadow+ **SHIFTERS:** Shimano SLX spec **BRAKES:** Shimano M615 180 mm Disc **BRAKE LEVERS:** attached **RIMS:** Mavic CrossOne D80-26 **HUBS:** attached **SPOKES:** attached **TIRES:** Continental X-King 2.2 fold **FREEWHEEL:** Shimano CS-HG-10 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** Merida Pro OS 680 R12 **STEM:** Merida Pro Carbon 5" **SADDLE:** ProLogo Kappa Evo **SEATPOST:** Merida Pro H SBO 31.6 mm **PEDALS:** XC Alloy



**ONE-TWENTY 900**



**FRAME:** One-Twenty Comp-D BC A-Link **SIZES:** 16-18-20-22" **COLOR:** white(anthracite/black) **FORK:** RST First Air-32 120 Lockout taper **HEADSET:** Big Conoid semi Neck **SHOCK:** SR Suntour Epicor Lorp **CHAINWHEEL:** Shimano M610-10 42-32-24 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano Deore H35 triple **DERAILLEUR REAR:** Shimano Deore XT Shadow+ **SHIFTERS:** Shimano Deore **BRAKES:** Shimano M505 180 mm Can **BRAKE LEVERS:** attached **RIMS:** Mavic EN321-26 **HUBS:** Shimano M435 Can **SPOKES:** black stainless **TIRES:** Merida Trail Lite 2.25 KV **FREEWHEEL:** Shimano CS-HG-10 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** Merida Pro OS 680 R12 **STEM:** Merida Pro OS 5" **SADDLE:** Merida Pro SI **SEATPOST:** Merida Pro H SBO 31.6 mm **PEDALS:** XC Alloy



**ONE-TWENTY 500**



**FRAME:** One-Twenty Comp-D BC A-Link **SIZES:** 16-18-20-22" **COLOR:** matt anthracite(green/silver) **FORK:** Rock Shox XC 32TK 120 taper **HEADSET:** Big Conoid semi Neck **SHOCK:** SR Suntour Epicor Lorp **CHAINWHEEL:** Shimano M522 Octa 42-32-24 **BB-SET:** Shimano Octalink **DERAILLEUR FRONT:** Shimano Deore H35 triple **DERAILLEUR REAR:** Shimano Deore XT Shadow **SHIFTERS:** Shimano Deore **BRAKES:** Shimano M445 180 mm Can **BRAKE LEVERS:** attached **RIMS:** Merida Matrix Comp D **HUBS:** Shimano M435 Can **SPOKES:** black stainless **TIRES:** Merida Trail Lite 2.25 KV **FREEWHEEL:** Shimano CS-HG-10 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** Merida Comp OS 680 R25 **STEM:** Merida NC OS 7" **SADDLE:** Merida Pro SI **SEATPOST:** Merida Comp SB12 31.6 mm **PEDALS:** XC Alloy

# ONE-FORTY-B

ALL MOUNTAIN

"All-Mountain" says it all: all mountains. Riders who want to meet this demand must be multi-talented: An AM athlete needs endurance for flat uphill, enough power for steep ascents, a love for velocity on "flowy" trails and good steering skills for challenging downhill. And the bike? It has to support its pilot optimally. Thus it should be as light as possible and should offer traction in every situation. Moreover, it must convince with agility, tracking stability and downhill safety. Modern AM bikes are capable of all this – and in Season 2014, our 145 mm fully offers even more: With 27.5", the ONE-FORTY-B complements its kinematic strengths by those of the new wheelset standard. So it rightly lays claim to the title "All-Mountain".

The redesigned frame of our ONE-FORTY-B proves already right away that it is a cutting-edge representative of its category. The sophisticated rocker link graces the equally sensitive and drivetrain-neutral VPK chassis. The "absence" of cables and wires appears similarly graceful – because all control lines (incl. the remote control for the lowerable seatpost) are routed inside the frame for optimal protection. Thanks to the cleverly constructed opening near the bottom bracket, they can be accessed effortlessly for maintenance purposes. Still another detail attests the practical-minded AM affinity of our competent R&D experts: The short 60-mm-stem is part of all frame sizes and makes the always precisely tracking ONE-FORTY-B a true guarantor for fun. On each trail, downhill from every mountain. *Do not miss anything: with the MERIDA ONE-FORTY-B.*



## ONE-FORTY1-B

**FRAME:** One-Forty 27.5"-Single BSC VPP A-Link R12 **SIZES:** 15.5-17-19-21" **COLOR:** stk black/grey/yellow **FORK:** Fox 32 Talas 650B CTD FIT (1.5T, 15QR) - Perf. 120/150 **HEADSET:** Big Conoid A-bearing Neck **SHOCKS:** Fox Float CTD BV LV - Perf. **CHAINWHEEL:** Shimano Deore XT 40-30-22 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano Deore XT HD Triple **DERAILLEUR REAR:** Shimano Deore XT Shadow+ **SHIFTERS:** Shimano Deore XT Ipec **BRAKES:** Shimano Deore XT-FH 180 mm Ice Disc **BRAKE LEVERS:** attached **RIMS:** SunRingle Charger Expert 27 F15R12 **HUBS:** attached / 12 mm Thru axle **SPOKES:** attached **TIRES:** Schwalbe Nobby Nic 2.35 Evo fold **FREEWHEEL:** Shimano CS-HG810 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** FSA Aftabumer Rear 730 R15 **STEM:** FSA Aftabumer 6" **SADDLE:** ProLogo Scratch X14 STN **SEATPOST:** Rock Shox Revolt Stealth 31.6 mm **PEDALS:** XC Alloy



**ONE-FORTY 2-B**

**FRAME:** One-Forty 27-D-Single BSC VPP A-Link R12 **SIZES:** 15.5-17-19-21" **COLOR:** silk black(white/blue) **FORK:** Fox 32 Float 650B CTD QVC (1.1ST, 15QR) - Eve 150 **HEADSET:** Big Conoid S-bearing Neck **SHOCK:** Fox Float CTD BV LV - Perf. **CHAINWHEEL:** Shimano Deore XT 40-30-22 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano Deore XT HD triple **DERAILLEUR REAR:** Shimano Deore XT Shadow+ **SHIFTERS:** Shimano Deore XT Ipec **BRAKES:** Shimano SLX 180 mm Disc **BRAKE LEVERS:** attached **RIMS:** SunRing4 Charger Comp 27 F15R12 **HUBS:** attached / 12 mm Thru axle **SPOKES:** black stainless **TIRES:** Schwalbe Nobby Nic 2.35 Eve fold **FREEWHEEL:** Shimano CS-HG-10 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** FSA V-Drive Rear 730 R15 **STEM:** Merida Pro OS 5" **SADDLE:** Selle Italia X1 **SEATPOST:** KS SuperNatural S80 31.6 mm **PEDALS:** XC Alloy



**ONE-FORTY 3-B**

**FRAME:** One-Forty 27-D-Single BSC VPP A-Link R12 **SIZES:** 15.5-17-19-21" **COLOR:** silk black(white/green) **FORK:** Fox 32 Float 650B CTD QVC (1.1ST, 15QR) - Eve 150 **HEADSET:** Big Conoid semi Neck **SHOCK:** Fox Float CTD LV (No BV) - Eve **CHAINWHEEL:** Shimano SLX 40-30-22 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano SLX HD triple **DERAILLEUR REAR:** Shimano SLX Shadow+ **SHIFTERS:** Shimano SLX Ipec **BRAKES:** Shimano SLX 180 mm Ice Con **BRAKE LEVERS:** attached **RIMS:** Alex MD23-27 Disc **HUBS:** Shimano SLX 15 / -12 Con **SPOKES:** black stainless **TIRES:** Schwalbe Nobby Nic 2.35 Perf. fold **FREEWHEEL:** Shimano CS-HG-10 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** Merida Pro OS 730 R12 **STEM:** Merida Pro OS 5" **SADDLE:** Selle Italia X1 **SEATPOST:** KS SuperNatural S80 31.6 mm **PEDALS:** XC Alloy



**ONE-FORTY 5-B**

**FRAME:** One-Forty 27-D-Single BSC VPP A-Link R12 **SIZES:** 15.5-17-19-21" **COLOR:** silk black(white/red) **FORK:** Rock Shox Sektor 27 TK Air 150 15 mm taper Poploc **HEADSET:** Big Conoid semi Neck **SHOCK:** Rock Shox Monarch RT **CHAINWHEEL:** Shimano M622 40-30-22 **BB-SET:** attached **DERAILLEUR FRONT:** Shimano Deore H35 triple **DERAILLEUR REAR:** Shimano Deore Shadow+ **SHIFTERS:** Shimano Deore Ipec **BRAKES:** Shimano M615 180 mm Con **BRAKE LEVERS:** attached **RIMS:** Alex MD23-27 Disc **HUBS:** Shimano Deore 15 / -12 Con **SPOKES:** black stainless **TIRES:** Schwalbe Nobby Nic 2.35 Perf. fold **FREEWHEEL:** Shimano CS-HG-10 11-36 **CHAIN:** KMC X10 10s **HANDLEBAR:** Merida Pro OS 730 R12 **STEM:** Merida Pro OS 5" **SADDLE:** Selle Italia X1 **SEATPOST:** Merida Pro H S80 31.6 mm **PEDALS:** XC Alloy